Medication Assisted Treatment in Missouri

Mark Stringer, Director

Missouri Divisions of Alcohol and Drug Abuse & Comprehensive Psychiatric Services

NASADAD Annual Meeting Indianapolis, IN
June 8, 2011



Medication Assisted Treatment Timeline

November
2006

Awarded the
Robert Wood
Johnson
Advancing
Recovery
Grant

November
2007
Provider
Contract
Amendments
added
Medication
Services

April 2008 First use of Vivitrol

October 2008

Advancing Recovery Grant ended

Vivitrol Change Leader Conference Calls Began

May
2009
Secured
General
Revenue
Funding for
Addiction
Treatment
Medications

2009
Allowed
Medication
Services via
Telehealth

August

2010

Began


credentialing

for MAT

specialty

September

Naltrexone and Acamprosate for treatment of alcohol dependence



Early Findings


Consumer openness to taking medication correlates with clinician attitudes about MAT

Consumer, clinician and prescriber education is essential

It is essential to have a champion for MAT at each site

Consumer success stories market MAT

Medication Assisted Treatment Expenditures



Notes:

Includes medication, laboratory testing, office consultation, and APN/psychiatrist/physician services.

State fiscal year runs from July – June.


Demographics

	Average Age	% Male	% Criminal Justice Referral	% Primary Drug - Alcohol	% Primary Drug - Heroin	Average of Max Alcohol/Drug ASI Severity Score
No Medication	34	80%	58%	37%	7%	5.7
Vivitrol	36	82%	29%	68%	18%	7.0
Suboxone	30	71%	32%	3%	66%	6.8
naltrexone	38	90%	69%	35%	50%	7.3


- •Medication consumers tend to have higher ASI substance severity scores
- •Vivitrol and naltrexone used more when primary substance is alcohol.
- •Suboxone and naltrexone used more when primary substance is heroin.
- •Vivitrol and Suboxone consumers have lower rates of criminal justice referrals.

Retention


Average Length of Stay (days)




Abstinence in Past 30 Days



Employment in Past 30 Days



No Arrests in Past 30 Days



Notes

Longer lengths of stay with Vivitrol

Good abstinence data for Suboxone and Vivitrol

Good employment data for Vivitrol

Data does not look as good for oral naltrexone

Need to study further with more cases

Contact Information

Mark Stringer

Division of Alcohol and Drug Abuse

Missouri Department of Mental Health

mark.stringer@dmh.mo.gov